

Weekplan: Introduction to Data Structures

The 02105+02326 DTU Algorithms Team

Reading

Introduction to Algorithms, Cormen, Rivest, Leisersons and Stein (CLRS): Introduction to Part III + Chapter 10.

Exercises

1 Stacks and Queues

- 1.1 CLRS [w] 10.1-1.
- 1.2 CLRS 10.1-2.
- 1.3 CLRS [w] 10.1-3.
- 1.4 CLRS 10.1-6.

2 Exercise 5.1 in the exam set from 2011 Let S be a stack. Perform the following operations from left to right: a letter i means $Push(S, i)$ and $*$ means $Pop(S)$.

D * T U * * I N * F O R * M * A T I K


Which of the following sequences of letters corresponds to the sequence of letters popped (returned by $Pop(S)$) while performing the above operations:

- | | | |
|--|--|--|
| <input type="checkbox"/> A D U T I R M | <input type="checkbox"/> B D U T N R M K I T A O F | <input type="checkbox"/> C D U T N R M |
| <input type="checkbox"/> D D T U I N F | <input type="checkbox"/> E D U T N R M I T A O F | <input type="checkbox"/> F D U T N O M |

3 Algorithms on Linked Lists Look at the algorithms FOO and BAR and the linked list below. Solve the following exercises.

```
FOO(head)
x = head
c = 0
while x ≠ null do
  x = x.next
  c = c + 1
end while
return c
```

```
BAR(x, s)
if x == null then
  return s
else
  return BAR(x.next, s + x.key)
end if
```



- 3.1 [w] Run FOO(head) by hand.
- 3.2 [w] Explain what FOO computes.
- 3.3 Run BAR(head, 0) by hand.
- 3.4 Explain what BAR does.

4 Implementation of Linked Lists Assume x is an element in a singly linked list as described in the lecture. Solve the following exercises.

4.1 [w] Assume x is not the last element in the list. What is the result of the following code snippet?

```
x.next = x.next.next;
```

4.2 [w] Let t be a new element that is not already in the list. What is the result of the following code snippet?

```
t.next = x.next;  
x.next = t;
```

4.3 [w] Suppose we now swap the order of the statements:

```
x.next = t;  
t.next = x.next;
```

What happens now? The same as above?

5 Implementation of Stacks and Queues Solve the following exercises.

5.1 [†] Implement a stack that can contain integers using a singly linked list.

5.2 [†] Implement a queue that can contain integers using a singly linked list.

6 Sorted Linked Lists Let L be a singly linked list consisting of n integers in sorted order. Solve the following exercises.

6.1 Give an algorithm to insert a new integer in L such that the list is still sorted afterwards.

6.2 Professor Gørtz suggests one can improve the insertion algorithm by using binary search. Is she right?

7 List Reversal Give an algorithm to reverse a singly linked list, ie. produces a singly linked list with the elements in the reversed order. Your algorithm should run in $\Theta(n)$ time and not use more than constant extra space (in addition to the list).

8 Death by Light Switches 32 prisoners are sentenced to life in prison in solitary confinement. The evil warden proposes a deal to keep them (or him?) entertained. The warden has a bowl containing the cell numbers of all the prisoners. Each day he randomly chooses one cell from the bowl, the corresponding prisoner is taken to the interrogation room, and the cell number is returned to the bowl. The interrogation room is empty except for k light switches (k is defined later) which the prisoner can choose to turn on or off. The prisoner may make the assertion that all 32 prisoners have been in the room. If the prisoner is correct, all prisoners will be released. If not, the prisoners are brutally executed! The prisoners are given one meeting to discuss a strategy before their communication is completely severed. Initially, all light switches are off. Solve the following exercises:

8.1 Is it possible to devise a strategy that ensures with 100% certainty, that one of them will guess correctly and ensure their freedom if there are $k = 32$ light switches?

8.2 What if $k = 5$?

8.3 [**] What if $k = 1$?

9 Dynamic Arrays and Stacks We are interested in implementing a stack using a dynamic array without a maximum size for the array in the beginning. Solve the following exercises.

9.1 [*] Generalize dynamic arrays to also support stacks that shrinks (ie. supports both PUSH and POP operations). The running time of any sequence of n operations must be $\Theta(n)$ and at any point in time your solution should use linear time in the number of elements currently in the stack.

9.2 [**] Show how one can obtain $O(1)$ time per stack operation using dynamic arrays and linear space in the number of elements currently in the stack. Only consider growing stacks and thus ignore POP. *Hint:* Consider how the work can be evenly distributed over all operations.