

Searching and Sorting

- Searching
 - Linear search
 - Binary search
- Sorting
 - Insertion sort
 - Merge sort

Philip Bille

Searching and Sorting

- Searching
 - Linear search
 - Binary search
- Sorting
 - Insertion sort
 - Merge sort

Searching

- Searching. Given a sorted array A and number x, determine if x appears in the array.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	4	7	12	16	18	25	28	31	33	36	42	45	47	50

Linear Search

- Linear search. Check if each entry matches x.
- Time?
- Challenge. Can we take advantage of the sorted order of the array?

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	4	7	12	16	18	25	28	31	33	36	42	45	47	50

Binary Search

- Binary search. Compare x to middle entry m in A .
 - if $A[m] = x$ return true and stop.
 - if $A[m] < x$ continue recursively on the right half.
 - if $A[m] > x$ continue recursively on the left half.
- If array size ≤ 0 return false and stop.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	4	7	12	16	18	25	28	31	33	36	42	45	47	50

Binary Search

```

BINARYSEARCH(A,i,j,x)
  if j < i return false
  m = [(i+j)/2]
  if A[m] = x return true
  elseif A[m] < x return BINARYSEARCH(A,m+1,j,x)
  else return BINARYSEARCH(A,i,m-1,x) // A[m] > x
    
```

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	4	7	12	16	18	25	28	31	33	36	42	45	47	50

- Time?
- Analysis 1. Analogue of recursive peak algorithm.
 - A recursive call takes constant time.
 - Each recursive call halves the size of the array. We stop when the size is ≤ 0 .
 - \Rightarrow Running time is $O(\log n)$

Binary Search

- Analysis 2. Let $T(n)$ be the running time for binary search.
 - Solve the recurrence relation for $T(n)$.

$$T(n) = \begin{cases} T(n/2) + c & \text{if } n > 1 \\ d & \text{otherwise} \end{cases}$$

$$\begin{aligned}
 T(n) &= T\left(\frac{n}{2}\right) + c \\
 &= T\left(\frac{n}{4}\right) + c + c \\
 &= T\left(\frac{n}{8}\right) + c + c + c \\
 &\quad \vdots \\
 &= T\left(\frac{n}{2^k}\right) + ck \\
 &\quad \vdots \\
 &= T\left(\frac{n}{2^{\log_2 n}}\right) + c \log_2 n \\
 &= T(1) + c \log_2 n \\
 &= d + c \log_2 n \\
 &= O(\log n)
 \end{aligned}$$

Searching

- We can search in
 - $O(n)$ time with linear search.
 - $O(\log n)$ time with binary search.

Searching and Sorting

- Searching
 - Linear search
 - Binary search
- Sorting
 - Insertion sort
 - Merge sort

Sorting

- Sorting. Given array $A[0..n-1]$ return array $B[0..n-1]$ with same values as A but in sorted order.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
33	4	25	28	45	18	7	12	36	1	47	42	50	16	31

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	4	7	12	16	18	25	28	31	33	36	42	45	47	50


Applications

- Obvious.
 - Sort list of names, show Google PageRank results, show social media feed in chronological order.
- Non obvious.
 - Data compression, computer graphics, bioinformatics, recommendations systems.
- Easy problem for sorted data.
 - Search, find median, find duplicates, find closest pair, find outliers.

Insertion Sort


- Insertion sort. Start with unsorted array A .
- Proceed left-to-right in n rounds.
- Round i :
 - Subarray $A[0..i-1]$ is sorted.
 - Insert $A[i]$ into $A[0..i-1]$ to make $A[0..i]$ sorted.

4	18	25	28	33	45	7	12	36	1	47	42	50	16	31













Merge

- Time. Merging two arrays A_1 og A_2 ?
 - Each step take $O(1)$ time.
 - Each step we move forward in one array.
 - $\Rightarrow O(|A_1| + |A_2|)$ time.



Merge Sort


- Merge sort.
- If $|A| \leq 1$, return A.
- Otherwise:
 - Split A into halves.
 - Sort each half recursively.
 - Merge the two halves.



Merge Sort


```

MERGESORT(A, i, j)
  if i < j
    m = [(i+j)/2]
    MERGESORT(A, i, m)
    MERGESORT(A, m+1, j)
    MERGE(A, i, m, j)
    
```



- Time?
- Construct recursion tree.

Merge Sort



Sorting

- We can sort in
 - $O(n^2)$ time with insertion sort.
 - $O(n \log n)$ time with merge sort.

Divide and Conquer

- Merge sort is example of a divide and conquer algorithm.
- Algorithmic design paradigm.
 - Divide. Split problem into subproblems.
 - Conquer. Solve subproblems recursively.
 - Combine. Combine solution for subproblem to a solution for problem.
- Merge sort.
 - Divide. Split array into halves.
 - Conquer. Sort each half.
 - Combine. Merge halves.

Searching and Sorting

- Searching
 - Linear search
 - Binary search
- Sorting
 - Insertion sort
 - Merge sort