

Hashing

- Dictionaries
- Chained Hashing
- Universal Hashing
- Static Dictionaries and Perfect Hashing

Philip Bille

Hashing

- Dictionaries
- Chained Hashing
- Universal Hashing
- Static Dictionaries and Perfect Hashing

Dictionaries

- **Dictionary problem.** Maintain a set $S \subseteq U = \{0, \dots, u-1\}$ supporting
 - `lookup(x)`: return true if $x \in S$ and false otherwise.
 - `insert(x)`: set $S = S \cup \{x\}$
 - `delete(x)`: set $S = S - \{x\}$
- Think universe size $u = 2^{64}$ or 2^{32} and $|S| \ll u$.
- **Satellite information.** We may also have associated satellite information for each key.
- **Goal.** A compact data structure (linear space) with fast operations (constant time).

Dictionaries

- **Applications.**
 - Maintain a dictionary (!)
 - Key component in many data structures and algorithms. (Examples in exercises and later lectures).

Dictionaries

- Which solutions do we know?
 - Direct addressing (bitvector)
 - Linked lists.
 - Binary search trees (balanced)
 - Chained hashing

Hashing


- Dictionaries
- Chained Hashing
- Universal Hashing
- Static Dictionaries and Perfect Hashing

Chained Hashing

- Simplifying assumption. $|S| \leq N$ at all times and we can use space $O(N)$.
- Chained hashing [Dumey 1956].
 - Pick some crazy, chaotic, random function h (the hash function) mapping U to $\{0, \dots, N-1\}$.
 - Initialize an array $A[0, \dots, N-1]$.
 - $A[i]$ stores a linked list containing the keys in S whose hash value is i .

Chained Hashing

- Example.
 - $U = \{0, \dots, 99\}$
 - $S = \{1, 16, 41, 54, 66, 96\}$
 - $h(x) = x \bmod 10$



Chained Hashing

- **Operations.** How can we support lookup, insert, and delete?
 - **Lookup(x):** Compute $h(x)$. Scan through list for $h(x)$. Return true if x is in list and false otherwise.
 - **Insert(x):** Compute $h(x)$. Scan through list for $h(x)$. If x is in list do nothing. Otherwise, add x to the front of list.
 - **Delete(x):** Compute $h(x)$. Scan through list for $h(x)$. If x is in list remove it. Otherwise, do nothing.
- **Time.** $O(1 + \text{length of linked list for } h(x))$

Chained Hashing

- **Hash functions.** A crazy, chaotic hash function (like $h(x) = x \bmod 10$) sounds good, but there is a big problem.
 - For any **fixed** choice of h , we can find a set whose elements all map to the same slot.
 - \Rightarrow We end up with a single linked list.
 - How can we overcome this?
- **Use randomness.**
 - Assume the input set is random.
 - Choose the hash function at random.

Chained Hashing

- **Chained hashing for random hash functions.**
 - **Assumption 1.** $h: U \rightarrow \{0, \dots, N-1\}$ is chosen uniformly at random from the set of all functions from U to $\{0, \dots, N-1\}$.
 - **Assumption 2.** h can be evaluated in constant time.
- What is the expected time for an operation $OP(x)$, where $OP = \{\text{lookup, insert, delete}\}$?

Chained Hashing

$$\begin{aligned}
 \text{Time for } OP(x) &= O(1 + E[\text{length of linked list for } h(x)]) \\
 &= O(1 + E[|\{y \in S \mid h(y) = h(x)\}|]) \\
 &= O\left(1 + E\left[\sum_{y \in S} \begin{cases} 1 & \text{if } h(y) = h(x) \\ 0 & \text{if } h(y) \neq h(x) \end{cases}\right]\right) \\
 &= O\left(1 + \sum_{y \in S} E\left[\begin{cases} 1 & \text{if } h(y) = h(x) \\ 0 & \text{if } h(y) \neq h(x) \end{cases}\right]\right) \\
 &= O(1 + \sum_{y \in S} \Pr[h(x) = h(y)]) \\
 &= O(1 + 1 + \sum_{y \in S \setminus \{x\}} \Pr[h(x) = h(y)]) \\
 &= O(1 + 1 + \sum_{y \in S \setminus \{x\}} 1/N) \\
 &= O(1 + 1 + N(1/N)) = O(1)
 \end{aligned}$$

N^2 choices for pair $(h(x), h(y))$,
 N of which cause collision

Chained Hashing

- **Theorem.** With a random hash function (under assumptions 1 + 2) we can solve the dictionary problem in
 - $O(N)$ space.
 - $O(1)$ expected time per operation (lookup, insert, delete).
- Expectation is over the choice of hash function.
- Independent of the input set.

Random Hash Functions

- **Random hash functions.** Can we efficiently compute and store a random function?
 - We **need** $u \log N$ bits to store an arbitrary function from $\{0, \dots, u-1\}$ to $\{0, \dots, N-1\}$ (specify for each element x in U the value $h(x)$).
 - We **need** a lot of random bits to generate the function.
 - We **need** a lot of time to generate the function.

Random Hash Functions

- Do we **need** a truly random hash function?
- When did we use the fact that h was random in our analysis?

$$\begin{aligned}
 \text{Time for OP}(x) &= O(1 + E[\text{length of linked list for } h(x)]) \\
 &= O(1 + E[|\{y \in S \mid h(y) = h(x)\}|]) \\
 &= O\left(1 + E\left[\sum_{y \in S} \begin{cases} 1 & \text{if } h(y) = h(x) \\ 0 & \text{if } h(y) \neq h(x) \end{cases}\right]\right) \\
 &= O\left(1 + \sum_{y \in S} E\left[\begin{cases} 1 & \text{if } h(y) = h(x) \\ 0 & \text{if } h(y) \neq h(x) \end{cases}\right]\right) \\
 &= O(1 + \sum_{y \in S} \Pr[h(x) = h(y)]) \\
 &= O(1 + 1 + \sum_{y \in S \setminus \{x\}} \Pr[h(x) = h(y)]) \\
 &= O(1 + 1 + \sum_{y \in S \setminus \{x\}} 1/N) \quad \text{For all } x \neq y, \Pr[h(x) = h(y)] \leq 1/N \\
 &= O(1 + 1 + N(1/N)) = O(1)
 \end{aligned}$$

Random Hash Functions

- We do not need a truly random hash function!
- We only need: For all $x \neq y$, $\Pr[h(x) = h(y)] \leq 1/N$
- Captured in definition of **universal hashing**.

Hashing

- Dictionaries
- Chained Hashing
- **Universal Hashing**
- Static Dictionaries and Perfect Hashing

Universal Hashing

- **Universal hashing [Carter and Wegman 1979].**
 - Let H be a set of functions mapping U to $\{0, \dots, N-1\}$.
 - H is universal if for any $x \neq y$ in U and h chosen uniformly at random in H ,
$$\Pr[h(x) = h(y)] \leq 1/N$$
- **Universal hashing and chaining.**
 - If we can find family of universal hash functions such that
 - we can store it in small space
 - we can evaluate it in constant time
 - \Rightarrow efficient chained hashing **without** special assumptions.

Universal Hashing

- **Positional number systems.** For integers x and p , the **base- p representation** of x is x written in base p .
- **Example.**
 - $(10)_{10} = (1010)_2$ ($1 \cdot 2^3 + 0 \cdot 2^2 + 1 \cdot 2^1 + 0 \cdot 2^0$)
 - $(107)_{10} = (212)_7$ ($2 \cdot 7^2 + 1 \cdot 7^1 + 2 \cdot 7^0$)

Universal Hashing

- **Hash function.** Given a prime $N < p < 2N$ and $a = (a_1 a_2 \dots a_r)_p$, define
$$h_a(x = (x_1 x_2 \dots x_r)_p) = a_1 x_1 + a_2 x_2 + \dots + a_r x_r \pmod p$$
- **Example.**
 - $p = 7$
 - $a = (107)_{10} = (212)_7$
 - $x = (214)_{10} = (424)_7$
 - $h_a(x) = 2 \cdot 4 + 1 \cdot 2 + 2 \cdot 4 \pmod 7 = 18 \pmod 7 = 4$
- **Universal family.**
 - $H = \{h_a \mid a = (a_1 a_2 \dots a_r)_p \in \{0, \dots, p-1\}^r\}$
 - Choose random hash function from $H \sim$ choose random a .
 - H is universal (next slides).
 - $O(1)$ time evaluation.
 - $O(1)$ space.
 - Fast construction (find suitable prime).

Universal Hashing

- **Lemma.** Let p be a prime. For any $a \in \{1, \dots, p-1\}$ there exists a unique inverse a^{-1} such that $a^{-1} \cdot a = 1 \pmod p$. (\mathbb{Z}_p is a field)
- **Example.** $p = 7$

a	1	2	3	4	5	6
a ⁻¹						

a	1	2	3	4	5	6
a ⁻¹	1	4	5	2	3	6

Universal Hashing

- **Goal.** For random $a = (a_1 a_2 \dots a_r)_p$, show that if $x = (x_1 x_2 \dots x_r)_p \neq y = (y_1 y_2 \dots y_r)_p$ then $\Pr[h_a(x) = h_a(y)] \leq 1/N$
- $(x_1 x_2 \dots x_r)_p \neq (y_1 y_2 \dots y_r)_p \Rightarrow x_i \neq y_i$ for some i . Assume wlog. that $x_r \neq y_r$.

$$\begin{aligned}
 & \Pr[h_a((x_1 \dots x_r)_p) = h_a((y_1 \dots y_r)_p)] \\
 &= \Pr[a_1 x_1 + \dots + a_r x_r \equiv a_1 y_1 + \dots + a_r y_r \pmod p] \\
 &= \Pr[a_r x_r - a_r y_r \equiv a_1 y_1 - a_1 x_1 + \dots + a_{r-1} y_{r-1} - a_{r-1} x_{r-1} \pmod p] \quad \text{existence of inverses} \\
 &= \Pr[a_r (x_r - y_r) \equiv a_1 (y_1 - x_1) + \dots + a_{r-1} (y_{r-1} - x_{r-1}) \pmod p] \\
 &= \Pr[a_r (x_r - y_r) (x_r - y_r)^{-1} \equiv (a_1 (y_1 - x_1) + \dots + a_{r-1} (y_{r-1} - x_{r-1})) (x_r - y_r)^{-1} \pmod p] \\
 &= \Pr[a_r \equiv (a_1 (y_1 - x_1) + \dots + a_{r-1} (y_{r-1} - x_{r-1})) (x_r - y_r)^{-1} \pmod p] = \frac{1}{p} \leq \frac{1}{N}
 \end{aligned}$$

p choices for a , exactly one causes a collision by uniqueness of inverses.

Universal Hashing

- **Lemma.** H is universal with $O(1)$ time evaluation and $O(1)$ space.
- **Theorem.** We can solve the dictionary problem (without special assumptions) in:
 - $O(N)$ space.
 - $O(1)$ expected time per operation (lookup, insert, delete).

Other Universal Families

- For prime $p > 0$, $a \in \{1, \dots, p-1\}$, $b \in \{0, \dots, p-1\}$

$$\begin{aligned}
 h_{a,b}(x) &= (ax + b \pmod p) \pmod N \\
 H &= \{h_{a,b} \mid a \in \{1, \dots, p-1\}, b \in \{0, \dots, p-1\}\}
 \end{aligned}$$

- Hash function from k -bit numbers to l -bit numbers. a is an odd k -bit integer.

l most significant bits of the k least significant bits of ax

$$\begin{aligned}
 h_a(x) &= (ax \pmod{2^k}) \gg (k-l) \\
 H &= \{h_a \mid a \text{ is an odd integer in } \{1, \dots, 2^k - 1\}\}
 \end{aligned}$$

Hashing

- Dictionaries
- Chained Hashing
- Universal Hashing
- Static Dictionaries and Perfect Hashing

Static Dictionaries and Perfect Hashing

- **Static dictionary problem.** Given a set $S \subseteq U = \{0, \dots, u-1\}$ of size N for preprocessing support the following operation
 - **lookup(x):** return true if $x \in S$ and false otherwise.
- As the dictionary problem with no updates (insert and deletes).
- Set given in advance.

Static Dictionaries and Perfect Hashing

- **Dynamic solution.** Use chained hashing with a universal hash function as before \Rightarrow solution with $O(N)$ space and $O(1)$ expected time per lookup.
 - Can we do better?
- **Perfect Hashing.** A **perfect hash function** for S is a **collision-free** hash function on S .
 - Perfect hash function in $O(N)$ space and $O(1)$ evaluation time \Rightarrow solution with $O(N)$ space and $O(1)$ **worst-case lookup time**. (Why?)
 - Do perfect hash functions with $O(N)$ space and $O(1)$ evaluation time exist for any set S ?

Static Dictionaries and Perfect Hashing

- **Goal.** Perfect hashing in linear space and constant worst-case time.
- **Solution in 3 steps.**
 - **Solution 1.** Collision-free but with too much space.
 - **Solution 2.** Many collisions but linear space.
 - **Solution 3: FKS scheme [Fredman, Komlós, Szemerédi 1984].** Two-level solution. Combines solution 1 and 2.
 - At level 1 use solution with lots of collisions and linear space.
 - Resolve collisions at level 1 with collision-free solution at level 2.
 - **lookup(x):** look-up in level 1 to find the correct level 2 dictionary. Lookup in level 2 dictionary.

Static Dictionaries and Perfect Hashing

- **Solution 1.** Collision-free but with too much space.
- Use a universal hash function to map into an array of size N^2 . What is the expected total number of collisions in the array?

$$\begin{aligned}
 E[\#\text{collisions}] &= E \left[\sum_{x,y \in S, x \neq y} \begin{cases} 1 & \text{if } h(y) = h(x) \\ 0 & \text{if } h(y) \neq h(x) \end{cases} \right] \\
 &= \sum_{x,y \in S, x \neq y} E \left[\begin{cases} 1 & \text{if } h(y) = h(x) \\ 0 & \text{if } h(y) \neq h(x) \end{cases} \right] \\
 &= \sum_{x,y \in S, x \neq y} \Pr[h(x) = h(y)] = \binom{N}{2} \frac{1}{N^2} \leq \frac{N^2}{2} \cdot \frac{1}{N^2} = 1/2
 \end{aligned}$$

#distinct pairs
Universal hashing into N^2 range

- With probability 1/2 we get perfect hashing function. If not perfect try again.
- \Rightarrow Expected number of trials before we get a perfect hash function is $O(1)$.
- \Rightarrow For a static set S we can support lookups in $O(1)$ worst-case time using $O(N^2)$ space.

Static Dictionaries and Perfect Hashing

- **Solution 2.** Many collisions but linear space.
- As solution 1 but with array of size N . What is the expected total number of collisions in the array?


$$\begin{aligned}
 E[\#\text{collisions}] &= E \left[\sum_{x,y \in S, x \neq y} \begin{cases} 1 & \text{if } h(y) = h(x) \\ 0 & \text{if } h(y) \neq h(x) \end{cases} \right] \\
 &= \sum_{x,y \in S, x \neq y} E \left[\begin{cases} 1 & \text{if } h(y) = h(x) \\ 0 & \text{if } h(y) \neq h(x) \end{cases} \right] \\
 &= \sum_{x,y \in S, x \neq y} \Pr[h(x) = h(y)] = \binom{N}{2} \frac{1}{N} \leq \frac{N^2}{2} \cdot \frac{1}{N} = 1/2N
 \end{aligned}$$

Static Dictionaries and Perfect Hashing

- **Solution 3.** Two-level solution.
 - At level 1 use solution with lots of collisions and linear space.
 - Resolve each collisions at level 1 with collision-free solution at level 2.
 - lookup(x): look-up in level 1 to find the correct level 2 dictionary. Lookup in level 2 dictionary.

• **Example.**

- $S = \{1, 16, 41, 54, 66, 96\}$
- Level 1 collision sets:
 - $S_1 = \{1, 41\}$,
 - $S_4 = \{54\}$,
 - $S_6 = \{16, 66, 96\}$
- Level 2 hash info stored with subtable.
 - (size of table, multiplier a , prime p)



- **Time.** $O(1)$
- **Space?**


Static Dictionaries and Perfect Hashing

- **Space.** What is the the total size of level 1 and level 2 hash tables?

$$\text{space} = O \left(N + \sum_{i \in \{0, \dots, N-1\}} |S_i|^2 \right)$$

$$\#\text{collisions} = O(N)$$

$$\#\text{collisions} = \sum_{i \in \{0, \dots, N-1\}} \binom{|S_i|}{2}$$



For any integer a , $a^2 = a + 2\binom{a}{2}$

$$\begin{aligned}
 \text{space} &= O \left(N + \sum_i |S_i|^2 \right) = O \left(N + \sum_i \left(|S_i| + 2 \binom{|S_i|}{2} \right) \right) \\
 &= O \left(N + \sum_i |S_i| + 2 \sum_i \binom{|S_i|}{2} \right) = O(N + N + 2N) = O(N)
 \end{aligned}$$

Static Dictionaries and Perfect Hashing

- **FKS scheme.**
 - $O(N)$ space and $O(N)$ expected preprocessing time.
 - Lookups with two evaluations of a universal hash function.
- **Theorem.** We can solve the static dictionary problem for a set S of size N in:
 - $O(N)$ space and $O(N)$ expected preprocessing time.
 - $O(1)$ worst-case time per lookup.
- **Multilevel data structures.**
 - FKS is example of **multilevel** data structure technique. Combine different solutions for same problem to get an improved solution.

Hashing

- Dictionaries
- Chained Hashing
- Universal Hashing
- Static Dictionaries and Perfect Hashing