

Suffix Trees

- String Dictionaries
- Tries
- Suffix Trees

Suffix Trees

- String Dictionaries
- Tries
- Suffix Trees

String Dictionaries


- **String dictionary problem.** Let S be a string of characters from alphabet Σ . Preprocess S into data structure to support:
 - $\text{search}(P)$: Return the starting positions of all occurrences of P in S .
- **Example.**
 - $S = \text{yabbadabbado}$
 - $\text{search}(\text{abba}) = \{1,6\}$

Suffix Trees

- String Dictionaries
- **Tries**
- Suffix Trees

Tries


- Text retrieval
- Prefix-free?



- Trie over the strings: sells\$, by\$, the\$, sea\$, shells\$, tea\$, she\$.

Tries


- Text retrieval
- Prefix-free?



- Trie over the strings: sells\$, by\$, the\$, sea\$, shells\$, tea\$, she\$.

Tries

- Text retrieval
- Prefix-free?



- Trie over the strings: sells\$, by\$, the\$, sea\$, shells\$, tea\$, she\$.

Tries

- **Properties of the trie.** A trie T storing a collection S of s strings of total length n from an alphabet of size d has the following properties:
 - How many children can a node have?
 - How many leaves does T have?
 - What is the height of T ?
 - What is the number of nodes in T ?

Trie


- **Properties of the trie.** A trie T storing a collection S of s strings of total length n from an alphabet of size d has the following properties:
 - How many children can a node have? at most d
 - How many leaves does T have? s
 - What is the height of T ? length of longest string
 - What is the number of nodes in T ? $O(n)$

Trie

- **Search time:** $O(d)$ in each node $\Rightarrow O(dm)$.
 - $O(m)$ if d constant.
 - d not constant: use dictionary
 - Perfect hashing $O(1)$
 - Balanced BST: $O(\log d)$
- **Time and space for a trie (for small/constant d):**
 - $O(m)$ for searching for a string of length m .
 - $O(n)$ space.
 - Preprocessing: $O(n)$

Tries

- Prefix search: return all words in the trie starting with “se”




- Time for prefix search: $O(m)$ +
time to report all occurrences.

Could be large!!

- Solution: compact tries.


Tries

- **Compact trie.** Chains of nodes with a single child is merged into a single node.



Tries

- **Compact trie.** Chains of nodes with a single child is merged into a single node.



- **Properties of the compact trie.** A compact trie T storing a collection S of s strings of total length n from an alphabet of size d has the following properties:
 - Every internal node of T has at least 2 and at most d children.
 - T has s leaves
 - The number of nodes in T is $< 2s$.

Trie


- Time and space for a compact trie (constant d).
 - $O(m)$ for searching for a string of length m .
 - $O(m + \text{occ})$ for prefix search, where $\text{occ} = \# \text{occurrences}$
 - $O(s)$ space.
 - Preprocessing: $O(n)$

Suffix Trees

- String Dictionaries
- Tries
- Suffix Trees

Suffix tree


- **String indexing problem.** Given a string S of characters from an alphabet Σ . Preprocess S into a data structure to support
 - Search(P): Return starting position of all occurrences of P in S .
- Observation: An occurrence of P is a prefix of a suffix of S .




Suffix tree

- **String indexing problem.** Given a string S of characters from an alphabet Σ . Preprocess S into a data structure to support
 - **Search(P):** Return starting position of all occurrences of P in S .

- **Observation:** An occurrence of P is a prefix of a suffix of S .




- **Example:** $P = \text{ana}$.



V

- Suffix trees. The compact trie of all suffixes of S.
- Store S and store node labels by reference to S.


0 1 2 3 4 5 6 7 8 9 10 11 12
 y a b b a d a b b a d o \$



Suffix Trees


- Suffix trees. The compact trie of all suffixes of S.
- Store S and store node labels by reference to S.

0 1 2 3 4 5 6 7 8 9 10 11 12
 y a b b a d a b b a d o \$



Suffix Trees

- **Space.**
 - Number of edges + space for edge labels
 - $\implies O(n)$ space
- **Preprocessing.** $O(\text{sort}(n, |\Sigma|))$
- $\text{sort}(n, |\Sigma|)$ = time to sort n characters from an alphabet Σ .
- **Search(P):** $O(m + \text{occ})$.



Suffix Trees


- **Theorem.** We can solve the string dictionary problem in
 - $O(n)$ space and $\text{sort}(n, |\Sigma|)$ preprocessing time.
 - $O(m + \text{occ})$ time for queries.

Suffix Trees

- Applications.
 - Approximate string matching problems
 - Compression schemes (Lempel-Ziv family, ...)
 - Repetitive string problems (palindromes, tandem repeats, ...)
 - Information retrieval problems (document retrieval, top-k retrieval, ...)
 - ...


Longest common substring

- Find **longest common substring** of strings S_1 and S_2 .
- Construct the suffix tree over $S_1\$_1S_2\$_2$.
- **Example.** Find longest common substring of **piespies** and **piepies**:
 - Construct suffix tree of **piespies** $\$_1$ **piepies** $\$_2$.




Longest common substring

- Suffix tree of **piespies**₁**piepies**₂.




Longest common substring

- Suffix tree of **piespies**₁**piepiees**₂.
- Mark leaves: ■ = S₁ ▲ = S₂




Longest common substring

- Suffix tree of **piespies**₁**piepiees**₂.
- Mark leaves: ■ = S₁ ▲ = S₂




Longest common substring

- Suffix tree of **piespies**₁**piepies**₂.
- Mark leaves: ■ = S₁ ▲ = S₂




Longest common substring

- Suffix tree of **piespies** $\$_1$ **piepiees** $\$_2$.
- Mark leaves: ■ = S_1 ▲ = S_2
- Add string depth.



Longest common substring

- Suffix tree of **piespies** $\$_1$ **piepiees** $\$_2$.
- Mark leaves: ■ = S_1 ▲ = S_2
- Add string depth.



Longest common substring

- Using a suffix tree we can solve the longest common substring problem in linear time (for a constant size alphabets).