

Range Minimum Queries and Lowest Common Ancestor

Inge Li Gørtz

Range Minimum Queries and Lowest Common Ancestor

- Range Minimum Queries (RMQ) and Lowest Common Ancestor (LCA)
- RMQ
 - Simple solutions
 - Better solution
 - 2-level solution
- Reduction between RMQ and LCA
- Dynamic RMQ

Range Minimum Queries


- **Range minimum query problem.** Preprocess array $A[1\dots n]$ of integers to support
 - $\text{RMQ}(i,j)$: return the (entry of) minimum element in $A[i\dots j]$.

0	1	2	3	4	5	6	7	8	9
1	7	12	8	2	5	1	4	8	3

- $\text{RMQ}(2,5) = 2$ (index 4)
- Basic (extreme) solutions
 - **Linear search:**
 - Space: $O(n)$. Only keep array (no extra space)
 - Time: $O(j-i) = O(n)$
 - **Save all possible answers:** Precompute and save all answers in a table.
 - Space: $O(n^2)$ pairs $\Rightarrow O(n^2)$ space
 - Time: $O(1)$

Lowest Common Ancestor

- Lowest common ancestor problem. Preprocess rooted tree T with n nodes to support
 - $\text{LCA}(u,v)$: return the lowest common ancestor of u and v .



Lowest Common Ancestor

- Basic (extreme) solutions
 - **Linear search:** Follow paths to root and mark when you visit a node.
 - Space: $O(n)$. Only keep tree (no extra space)
 - Time: $O(\text{depth of tree}) = O(n)$
 - **Save all possible answers:** Precompute and save all answers in a table.
 - Space: $O(n^2)$ pairs $\Rightarrow O(n^2)$ space
 - Time: $O(1)$

RMQ and LCA

- [Outline](#).
 - Can solve both RMQ and LCA in linear space and constant time.
 - First solution to RMQ
 - Solution to a special case of RMQ.
 - See that RMQ and LCA are equivalent (can reduce one to the other both ways).


RMQ

Sparse table solution

RMQ: Sparse table solution

- Save the result for all intervals of length a power of 2.


0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	3	4	8	6	1	4	2	3	9	7	5	4	1	5	3



0	1	2	3	4
0	1	1	1	1
1	3	3	3	1
2	4	4	1	1
3	8	6	1	1
4	6	1	1	1
5	1	1	1	1
6	4	2	2	1
7	2	2	2	1
8	3	3	3	1
9	9	7	4	
10	7	5	1	
11	5	4	1	
12	4	1	1	
13	1	1		
14	5	3		
15	3			

RMQ: Sparse table solution

- Save the result for all intervals of length a power of 2.



- Space: $O(n \log n)$

0	1	2	3	4
0	1	1	1	1
1	3	3	3	1
2	4	4	1	1
3	8	6	1	1
4	6	1	1	1
5	1	1	1	1
6	4	2	2	1
7	2	2	2	1
8	3	3	3	1
9	9	7	4	
10	7	5	1	
11	5	4	1	
12	4	1	1	
13	1	1		
14	5	3		
15	3			

RMQ: Sparse table solution

- Save the result for all intervals of length a power of 2.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	3	4	8	6	1	4	2	3	9	7	5	4	1	5	3



RMQ(6, 12) = ?

- Space: $O(n \log n)$

0	1	2	3	4
0	1	1	1	1
1	3	3	3	1
2	4	4	1	1
3	8	6	1	1
4	6	1	1	1
5	1	1	1	1
6	4	2	2	1
7	2	2	2	1
8	3	3	3	1
9	9	7	4	
10	7	5	1	
11	5	4	1	
12	4	1	1	
13	1	1		
14	5	3		
15	3			

RMQ: Sparse table solution

- Save the result for all intervals of length a power of 2.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	3	4	8	6	1	4	2	3	9	7	5	4	1	5	3



$$\text{RMQ}(6, 12) = \min(\text{RMQ}(6, 9), \text{RMQ}(9, 12)) = \min(2, 4) = 2$$

0	1	2	3	4
0	1	1	1	1
1	3	3	3	1
2	4	4	1	1
3	8	6	1	1
4	6	1	1	1
5	1	1	1	1
6	4	2	2	1
7	2	2	2	1
8	3	3	3	1
9	9	7	4	
10	7	5	1	
11	5	4	1	
12	4	1	1	
13	1	1		
14	5	3		
15	3			

- Space: $O(n \log n)$

RMQ: Sparse table solution

- Query:



- Any interval is the union of two power of 2 intervals.
 - k largest number such that $2^k \leq j - i + 1$.
 - Lookup results for the two intervals and take minimum.
- Time: $O(1)$
- Space: $O(n \log n)$
- Preprocessing time: $O(n \log n)$
 - To compute results for length 2^i use results for length 2^{i-1} .

$\pm 1\text{RMQ}$

RMQ: Linear space

- Consider ± 1 RMQ: consecutive entries differ by 1.

0	1	2	3	4	5	6	7	8	9	10	11	12
4	5	6	5	4	3	2	3	2	3	4	5	4


- 2-level solution: Combine
 - $O(n \log n)$ space, $O(1)$ time
 - $O(n^2)$ space, $O(1)$ time.



- $O(n)$ space, $O(1)$ time.

± 1 RMQ


-
- Divide A into blocks of size $\frac{1}{2} \log n$



- 2-level data structure:
 - Sparse table on blocks
 - Tabulation inside blocks.

± 1 RMQ


- Divide A into blocks of size $\frac{1}{2} \log n$



- 2-level data structure:
 - Sparse table on blocks
 - Tabulation inside blocks.

± 1 RMQ


- Divide A into blocks of size $\frac{1}{2} \log n$



- 2-level data structure:
 - Sparse table on blocks
 - Tabulation inside blocks.


± 1 RMQ

- Divide A into blocks of size $\frac{1}{2} \log n$




- 2-level data structure:
 - Sparse table on blocks
 - Tabulation inside blocks.
- $\text{RMQ}(x,y) = \min\{ \text{RMQ on blocks } i \text{ to } j, \text{RMQ inside block } i-1, \text{RMQ inside block } j+1 \}$.

± 1 RMQ: Data structure on blocks




- Two new arrays.
 - Array A' : minimum from each block
 - B : position in A where $A'[i]$ occurs.
 - Sparse table data structure on A' .
 - Space: $O(|A'| \log |A'|) = O\left(\frac{n}{\log n} \cdot \log \frac{n}{\log n}\right)$
 - Time: $O(1)$

± 1 RMQ: Data structure inside blocks



- Precompute and save all answers for each block.
- Gives solution using
 - Space: $O(n)$ + space for precomputed tables.
 - Time: $O(1) + O(1) + O(1) = O(1)$.




↑
2 table
lookups ↑
sparse
table ↑
 $\min\{\cdot, \cdot, \cdot\}$

± 1 RMQ: Storing the precomputed tables

- Naively: $\log^2 n$ for each table => $n \log n$ space. ☹
- **Observation:** If $X[i] = Y[i] + c$ then all RMQ answers are the same for X and Y .
 - $X = [7, 6, 5, 6, 5, 4]$
 - $Y = [3, 2, 1, 2, 1, 0]$
- Describe block by sequence of +1s and -1s:
 - $X = Y = -1, -1, +1, -1, -1$.
- How many different block descriptions are there?
 - length of sequence = $\frac{1}{2} \log n - 1$
 - #sequences = $2^{\frac{1}{2} \log n - 1} \leq \sqrt{n}$.

± 1 RMQ: Data structure inside blocks

- Precompute and save all answers for each normalized block.
- Size of a table: $O(\log^2 n)$
- For each block save which precomputed table it uses.



- Space: $O(\sqrt{n} \cdot \log^2 n) + O(n/\log n) = O(n)$
- Plugging into 2-level solution:
 - Space: $O(n) + \text{space for precomputed tables} = O(n)$.

LCA and RMQ

RMQ and LCA

- We will show

RMQ $\xrightarrow{\text{reduces to}}$ LCA $\xrightarrow{\text{reduces to}}$ $\pm 1\text{RMQ}$


If there is a solution to LCA using $s(n)$ space and $t(n)$ time, then there is a solution to RMQ using $O(s(n))$ space and $O(t(n))$ time.

If there is a solution to $\pm 1\text{RMQ}$ using $s(n)$ space and $t(n)$ time, then there is a solution to LCA using $O(s(n))$ space and $O(t(n))$ time.

RMQ to LCA: Cartesian Tree

0	1	2	3	4	5	6	7	8	9
1	7	12	8	2	5	1	4	8	3


Below the array, five horizontal blue double-headed arrows indicate ranges: [0, 4], [1, 3], [2, 5], [3, 6], and [6, 9].



RMQ to LCA: Cartesian Tree

0	1	2	3	4	5	6	7	8	9
1	7	12	8	2	5	1	4	8	3

- RMQ(2,5)




RMQ to LCA: Cartesian Tree


0	1	2	3	4	5	6	7	8	9
1	7	12	8	2	5	1	4	8	3

Red arrow points to index 6. Blue double-headed arrows highlight the range from index 2 to 5.

- $\text{RMQ}(2,5) = \text{LCA}(2,5)$



LCA to ± 1 RMQ



- $E =$


0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
7	4	0	4	1	3	2	3	8	3	1	4	6	4	7	5	7
- $A =$

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
0	1	2	1	2	3	4	3	4	3	2	1	2	1	0	1	0
- $R =$

0	1	2	3	4	5	6	7	8
2	4	6	5	1	15	12	0	8

- E : Euler tour representation. preorder walk, write id of node when met.
- A : depth of node node in $E[i]$.
- R : first occurrence in E of node with id i
- $LCA(i, j) = E[RMQ_A(R[i], R[j])]$.

LCA to ± 1 RMQ



- $E =$


0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
7	4	0	4	1	3	2	3	8	3	1	4	6	4	7	5	7
- $A =$

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
0	1	2	1	2	3	4	3	4	3	2	1	2	1	0	1	0
- $R =$

0	1	2	3	4	5	6	7	8
2	4	6	5	1	15	12	0	8

- E : Euler tour representation. preorder walk, write id of node when met.
- A : depth of node node in $E[i]$.
- R : first occurrence in E of node with id i
- $LCA(i, j) = E[RMQ_A(R[i], R[j])]$.

LCA to ± 1 RMQ



- $E =$


0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
7	4	0	4	1	3	2	3	8	3	1	4	6	4	7	5	7
- $A =$

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
0	1	2	1	2	3	4	3	4	3	2	1	2	1	0	1	0
- $R =$

0	1	2	3	4	5	6	7	8
2	4	6	5	1	15	12	0	8

- E : Euler tour representation. preorder walk, write id of node when met.
- A : depth of node node in $E[i]$.
- R : first occurrence in E of node with id i
- $LCA(i, j) = E[RMQ_A(R[i], R[j])]$.

LCA to ± 1 RMQ



- $E =$


0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
7	4	0	4	1	3	2	3	8	3	1	4	6	4	7	5	7
- $A =$

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
0	1	2	1	2	3	4	3	4	3	2	1	2	1	0	1	0
- $R =$

0	1	2	3	4	5	6	7	8
2	4	6	5	1	15	12	0	8

- E : Euler tour representation. preorder walk, write id of node when met.
- A : depth of node node in $E[i]$.
- R : first occurrence in E of node with id i
- $LCA(i, j) = E[RMQ_A(R[i], R[j])]$.

LCA to ± 1 RMQ



- $E =$

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
7	4	0	4	1	3	2	3	8	3	1	4	6	4	7	5	7
- $A =$

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
0	1	2	1	2	3	4	3	4	3	2	1	2	1	0	1	0
- $R =$

0	1	2	3	4	5	6	7	8
2	4	6	5	1	15	12	0	8

$$|E| = 2n - 1$$

$$|A| = 2n - 1$$

$$|R| = n$$

Space $O(n)$:

- 3 tables
- ± 1 RMQ data structure on table of length $2n$

- E : Euler tour representation. preorder walk, write id of node when met.
- A : depth of node node in $E[i]$.
- R : first occurrence in E of node with id i
- $LCA(i, j) = E[RMQ_A(R[i], R[j])]$.

RMQ to LCA to \pm RMQ

0	1	2	3	4	5	6	7	8	9
1	7	12	8	2	5	1	4	8	3

E


0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18

A

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18

R

0	1	2	3	4	5	6	7	8	9



RMQ to LCA: Cartesian Tree

0	1	2	3	4	5	6	7	8	9
1	7	12	8	2	5	1	4	8	3

E


0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
6	0	4	1	3	2	3	1	4	5	4	0	6	9	7	8	7	9	6

A

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
0	1	2	3	4	5	4	3	2	3	2	1	0	1	2	3	2	1	0

R

0	1	2	3	4	5	6	7	8	9
1	3	5	4	2	9	0	14	15	13



RMQ to LCA: Cartesian Tree

0	1	2	3	4	5	6	7	8	9
1	7	12	8	2	5	1	4	8	3

E


0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
6	0	4	1	3	2	3	1	4	5	4	0	6	9	7	8	7	9	6

A

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
0	1	2	3	4	5	4	3	2	3	2	1	0	1	2	3	2	1	0

R

0	1	2	3	4	5	6	7	8	9
1	3	5	4	2	9	0	14	15	13



- $\text{RMQ}(2,5) = \text{LCA}(2,5) = E[\text{RMQ}_A(R[2], R[5])]$.

RMQ to LCA: Cartesian Tree

0	1	2	3	4	5	6	7	8	9
1	7	12	8	2	5	1	4	8	3

E


0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
6	0	4	1	3	2	3	1	4	5	4	0	6	9	7	8	7	9	6

A

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
0	1	2	3	4	5	4	3	2	3	2	1	0	1	2	3	2	1	0

R

0	1	2	3	4	5	6	7	8	9
1	3	5	4	2	9	0	14	15	13



- $\text{RMQ}(2,5) = \text{LCA}(2,5) = \text{E}[\text{RMQ}_A(\text{R}[2], \text{R}[5])]$.

RMQ and LCA

RMQ $\xrightarrow{\text{reduces to}}$ LCA $\xrightarrow{\text{reduces to}}$ $\pm 1\text{RMQ}$

If there is a solution to LCA using $s(n)$ space and $t(n)$ time, then there is a solution to RMQ using $O(s(n))$ space and $O(t(n))$ time.

If there is a solution to $\pm 1\text{RMQ}$ using $s(n)$ space and $t(n)$ time, then there is a solution to LCA using $O(s(n))$ space and $O(t(n))$ time.

- **Theorem.** RMQ and LCA can be solved in $O(n)$ space and $O(1)$ query time.