


Network Flows

Inge Li Gørtz

CLRS Chapter 26.0-26.2

Network Flow

- Truck company: Wants to send as many trucks as possible from s to t. Limit of number of trucks on each road.




Network Flow

- Truck company: Wants to send as many trucks as possible from s to t. Limit of number of trucks on each road.


- Example 1:

- Solution 1: 4 trucks
- Solution 2: 5 trucks



- Example 2:


- 5 trucks (need to cross river).



Network Flow


- Network flow:

- graph $G=(V,E)$.
- Special vertices s (source) and t (sink).
- s has no edges in and t has no edges out.
- Every edge (e) has a (integer) capacity $c(e) \geq 0$.
- Flow:



- **capacity constraint:** every edge e has a flow $0 \leq f(e) \leq c(e)$.
- **flow conservation:** for all $u \neq s, t$: flow into u equals flow out of u .

$$\sum_{v:(v,u) \in E} f(v,u) = \sum_{v:(u,v) \in E} f(u,v)$$




- Value of flow f is the sum of flows out of s :

$$v(f) = \sum_{v:(s,v) \in E} f(e) = f^{out}(s)$$

- **Maximum flow problem:** find s - t flow of maximum value



Algorithm

- Find path where we can send more flow.




Algorithm

- Find path where we can send more flow.
- Send flow back (cancel flow).




Augmenting Paths

- Augmenting path: s-t path P where
 - forward edges have leftover capacity
 - backwards edges have positive flow




- Can add extra flow: $\min(c_1 - f_1, f_2, c_3 - f_3, c_4 - f_4, f_5, f_6) = \delta = \text{bottleneck}(P)$.



Augmenting Paths



- Augmenting path (definition different than in CLRS): s-t path where
 - forward edges have leftover capacity
 - backwards edges have positive flow



- Can add extra flow: $\min(c_1 - f_1, f_2, c_3 - f_3, c_4 - f_4, f_5, f_6) = \delta = \text{bottleneck} \textcircled{P}$.
- Ford-Fulkerson:
 - Find augmenting path, use it
 - Find augmenting path, use it
 - Find augmenting path, use it
 -

Ford Fulkerson



- Augmenting path: s-t path P where
 - forward edges have leftover capacity
 - backwards edges have positive flow





Analysis of Ford-Fulkerson

- Integral capacities implies there is a maximum flow where all flow values $f(e)$ are integers.
- Number of iterations:
 - Always increment flow by at least 1: #iterations \leq max flow value f^*
- Time for one iteration:
 - Can find augmenting path in linear time: One iteration takes $O(m)$ time.
- Total running time = $O(|f^*| m)$.



Residual networks





Residual networks





Residual networks





Residual networks



Residual networks




Residual networks




s-t Cuts

- **Cut:** Partition of vertices into S and T , such that $s \in S$ and $t \in T$.




- Capacity of cut: total capacity of edges going *from* S to T .




s-t Cuts

- **Cut:** Partition of vertices into S and T , such that $s \in S$ and $t \in T$.




- Flow across cut: = flow *from* S to T minus flow *from* T to S .




s-t Cuts

- **Cut:** Partition of vertices into S and T , such that $s \in S$ and $t \in T$.




- Flow across cut: = flow *from* S to T minus flow *from* T to S .




$$c(S,T) = 9 \quad f(S,T) = 5$$

s-t Cuts

- **Cut:** Partition of vertices into S and T, such that $s \in S$ and $t \in T$.




- Flow across cut: = flow *from* S to T *minus* flow *from* T to S.




s-t Cuts

- **Cut:** Partition of vertices into S and T, such that $s \in S$ and $t \in T$.




- Flow across cut: = flow *from* S to T *minus* flow *from* T to S.




$$c(S,T) = 5 \quad f(S,T) = 5$$

s-t Cuts

- **Cut:** Partition of vertices into S and T, such that $s \in S$ and $t \in T$.




- Capacity of cut: total capacity of edges going *from* S to T.
- Flow across cut = flow *from* S to T *minus* flow *from* T to S.
- Flow across cut: $f_4 + f_5 - f_6 = ?$



- $f_2 + f_4 + f_5 - f_1 = 0$
- $f_3 - f_2 - f_6 = 0$
- $f_1 - f_3 = |f|$
- $(\cancel{f_2} + f_4 - \cancel{f_1} + f_5) + (\cancel{f_3} - \cancel{f_2} - f_6) + (\cancel{f_1} - \cancel{f_3}) = |f|$
- $f_4 + f_5 - f_6 = |f|$
- Net flow across cut is $|f|$ for all cuts \Rightarrow net flow out of s = net flow into t .

s-t Cuts


- **Cut:** Partition of vertices into S and T, such that $s \in S$ and $t \in T$.



- Capacity of cut: total capacity of edges going from S to T.
- Flow across cut = flow from S to T minus flow from T to S.
- Net flow across cut is $|f|$ for all cuts \Rightarrow net flow out of s = net flow into t .


- $|f| \leq c(S,T)$:

- $|f| = f_4 + f_5 - f_6 \leq f_4 + f_5 \leq c_4 + c_5 = c(S,T)$



s-t Cuts


- **Cut:** Partition of vertices into S and T , such that $s \in S$ and $t \in T$.



- Capacity of cut: total capacity of edges going from S to T .
- Flow across cut = flow from S to T minus flow from T to S .
- $|f| \leq c(S,T)$.
- Suppose we have found flow f and cut (S,T) such that $|f| = c(S,T)$. Then f is a maximum flow and (S,T) is a minimum cut.
 - Let f^* be the maximum flow and the (S^*,T^*) minimum cut:
 - $|f| \leq |f^*| \leq c(S^*,T^*) \leq c(S,T)$.
 - Since $|f| = c(S,T)$ this implies $|f| = |f^*|$ and $c(S,T) = c(S^*,T^*)$.


Finding minimum cuts

- Use Ford-Fulkerson to find a max-flow (finding augmenting paths).
- When no augmenting s-t path:
 - Let S be all vertices to which there exists an augmenting path from s.




Use of Max-flow min-cut theorem

- There is no augmenting path $\Leftrightarrow f$ is a maximum flow.
 - f maximum flow \Rightarrow no augmenting path:
 - Show that exists augmenting path $\Rightarrow f$ not maximum flow.
 - no augmenting path $\Rightarrow f$ maximum flow
 - no augmenting path \Rightarrow exists cut (S,T) where $|f| = c(S,T)$:
 - Let S be all vertices to which there exists an augmenting path from s .
 - t not in S (since there is no augmenting s - t path).
 - Edges from S to T : $f_1 = c_1$ and $f_2 = c_2$.
 - Edges from T to S : $f_3 = 0$.
 - $\Rightarrow |f| = f_1 + f_2 - f_3 = f_1 + f_2 = c_1 + c_2 = c(S,T)$.
 - $\Rightarrow f$ a maximum flow and (S,T) a minimum cut.



Finding minimum cuts

- Use Ford-Fulkerson to find a max-flow (finding augmenting paths).
- When no augmenting s-t path:
 - Let S be all vertices to which there exists an augmenting path from s.
- Remember:
 - All **forward** edges in the minimum cut are “full” (flow = capacity)
 - All **backwards** edges in minimum cut have 0 flow.



Removing assumptions


- Edges into s and out of t :

$$v(f) = f^{out}(s) - f^{in}(s)$$


- Capacities not integers.

Network Flow

- Multiple sources and sinks:



(a)



(b)